


MONUMENT TOOLS

 **MADE
IN
BRITAIN**

Professional Quality Plumbing,
Roofing & Drainage Tools



www.monument-tools.com



Professional Quality Plumbing, Roofing & Drainage Tools

Contents

Tools for Plumbing

Soldering & Brazing
Copper & Steel Pipe Cutters
Plastic Pipe Cutters
Pipe Bending
Cleaning & Deburring
Steel & Cast Iron Pipe Tools
Freezing
Sawing & Hole Cutting
Radiators & Immersion Heaters
Joining Expanding & Compression
Faucets Taps Sinks & Stopcocks
Dosing
Testing Boilers Flues & Fires
Spanners Wrenches & Water Pump Pliers

Tools for Roofing

Plastic Dressers & Sticks
Bossing Mallets
Beech Dressers & Sticks
Hornbeam Dressers & Sticks
Seaming Pliers
Knives

Soldering Irons

Tools for Drainage

Waste Unblocking
Compressed Air
Gulley Scoops
Toilet Unblocking
Manhole Cover Lifting
Testing

Natural Bacterial Treatments

Cutting & Joining

Plugs & Stoppers

Spring Rods

Steel Rods

Poly Rods

Handheld Drain Cleaners – sep catalogue

Cable Machines – sep catalogue

Cables & Cutters – sep catalogue

Inspection & Testing – sep catalogue

High Pressure Jetting – sep catalogue

About our brand

Monument Tools is an Innovative, UK based, Privately Owned company which Designs, Manufactures and Markets Professional Quality Tools for Plumbing, Roofing and Drainage under the Monument Brand and via OEM.

Monument Tools sells to Trade and DIY through Selected Wholesale, Retail and Export Partners.

The Monument Brand is 100 years old and the company which is still managed by the Collier family continues to invest in the latest technology. The products range from small pipe cutters up to £5000 High Pressure Jetters. Many products used by Professional Tradesmen have developed generic names such as a Shetack or a Monument.

Stocking Monument

All customers differ in their perception of brands as well as their own customer profiles and we believe merchants should have the ability to offer for sale the correct range of Monument products based on the merchant's customer profile.

Quality, Value, Flexibility and Customer Service are the cornerstones of our philosophy. We continually adapt the vast experience and extensive knowledge gained over the last 80 years, to the ever increasing and diverse demands of today's and tomorrow's market.

Marketing Support

- Product Training
- Range Guides
- B2B Website
- A5 End User Catalogues

Monument Account Managers provide Merchant Trade Counter Product Training via A2 Range Guides as well as via the Monument B2B Website www.monumenttools.co.uk

Monument A4 Product Catalogues are available to Merchants and should be used in conjunction with the B2B website for full product information.

Catalogue Key:



Multipack available



Spares Available



Product shown is 'Made in Britain'.

www.monumenttools.co.uk
BUSINESS2BUSINESS

User name:

Password:

One size does not fit all...

All Merchant Customers differ in their perception of brands as well as their own customer profiles and we believe merchants should have the ability to offer for sale the correct range of Monument products based on the merchant's customer profile.

We have Merchant Ranges Profiles which cover:

- Plumbing and Heating
- Plumbing and Heating Extended
- White Van Man
- Retail / DIY / Weekend Warrior
- Roofing
- Drainage

Packaging:

The variety of products we manufacture and pack are of differing shapes and sizes. We have designed packaging which is both functional, easily identifiable and creates a visual impression of conformity with the differing shapes and sizes of products.

Private Labelling / OEM:

We have successfully implemented many projects for private labelling and offer this service to clients requiring their own brand identity, either stand alone or as dual branding.

Monument Toolbars:

Steel pegboards, two uprights, bottom shelf and pegboard hooks are included. The display is easy to assemble and is supplied without charge, on loan to retailers who qualify for a free unit.

Please ask your wholesale distributor, area representative, sales agent or our sales office for more details: **Tel: 020 8288 1100**



Brand Representation

We represent many brands including *General Wire Spring*, *Roebic*, *GT Water Products*, *Freezemastr*, *Footprint Sheffield*. We represent these brands on both exclusive and non-exclusive basis and all to ensure that we offer the best range of professional quality plumbing roofing and drainage tools within the industry.



The Monument range

Covering all aspects of the industry, we supply tools for DIY, Hire, Pro and Trade use. See the full range online at:

www.monumenttools.co.uk



Plumbing | Soldering | Brazing



M

Propane & MAP//Pro® Gas
Steel non refillable cylinder contains high performance LPG for all plumbing and HVAC applications. Fitted with CGA 600 valve. 400g. (EN12205 CGA600 1in.), 3443L Propane / 3444O MAP//Pro.

Code: 3443L / 3444O



SM

Professional Torch Hot turbine flame piezo ignition torch with interchangeable tips for soldering & brazing. Use with Propane MAP//Pro® MAPP® gas. 3475Q with ST-3 Tip / 3476T with T-3 Tip / 3477W with P-3 Pencil Tip (CGA600 1in.).

Code: 3475Q / 3476T / 3477W



AS

Vulcane Torch Top of the range multi feature hot turbine flame piezo ignition soldering and brazing torch for all plumbing and HVAC applications. Use with propane MAP//Pro® or MAPP® gas. (CGA600 1in.)

Code: VULC A472



Pro Brazing Pad Professional quality 4-ply soldering & brazing pad. Made from non-asbestos glass fabric (300x250mm).

Code: 2348Q



Contractors Torch For soldering. Use with propane & MAP//Pro® gas. Piezo ignition. Hot turbine flame. Flame lock button. Flame adjustment valve. (CGA600 1in.)

Code: 3450G



Soldering Mat Woven glass fabric professional quality heat pad mat to protect surrounding areas when soldering. Resists temperatures up to 600°C. (300x300mm)

Code: 2350X

Omat® & OMapp® Soldering Mats
Patented variable cut out heat pad mat for soldering and brazing 15mm and 22mm copper pipe. For use with Propane & MAP//Pro®. 2361F 250x250mm - Propane 2355M 300x300mm - Propane 2359Y 300x300mm - MAP//Pro®. Patented.

Code: 2361F / 2355M / 2359Y



M

Gasex® Gas Aluminium tank with European thread - non refillable LPG, 30% faster than propane. EN417 thread. 450g. 860ml. (EN417 7/16in.)

Code: 434R



SM

Professional Torch Kit with changeable tip turbine piezo ignition torch and Gasex LPG tank for soldering & brazing. Supplied with SG4-ST3 Tip. (EN417 7/16in.)

Code: 3480F



DIY Torch For soldering & brazing. Use with propane & MAPP® gas. Interchangeable Tips. Piezo ignition. Hot turbine flame. Flame lock button. Flame adjustment valve. Ergonomic hand grip. (EN417 7/16in.)

Code: 3149R



Soldering Pad Protects surfaces from deflected heat surrounding brazing and soldering. Use with Gasex® MAP//Pro®. (2353G 290x215mm / 2354J 300x200mm)

Code: 2353G / 2354J



Flux Brushes Pack of 3 with wooden handles. (195mmx10mm Head).

Code: 3015M



S

Flint Spark Lighter For igniting LPGas and welding torches. Cup shaped shield traps the gas and assures ignition.

Code: 3418L



S

Flameless Soldering System
Use where naked flames present a fire risk. Soft solders pipes 6 to 22mm. 240v input. Soldering voltage 7V.

Code: 8025J



DIY Soldering Mat Graphite woven glass fibre. For use with Propane & Butane. (250x250mm).

Code: 2351A

PROFESSIONAL

Plumbing | Copper & Steel Pipe Cutting



S

Size 0 Copper Pipe Cutter
Made from pressure diecast body. All parts liable to wear are heat treated. Can be used for occasional cuts on 28mm. (3-28mm)

Code: 264Y



S

Size 1 Copper Pipe Cutter
Made from pressure diecast body. All parts liable to wear are heat treated. Fluted handle fitted with a spare wheel. (4-28mm)

Code: 265B



S

Size 2A Copper Pipe Cutter
Made from pressure diecast body. All parts liable to wear are heat treated. Fluted handle fitted with a spare wheel. (12-43mm)

Code: 266E



S

Size 3 Copper Pipe Cutter
Pressure diecast body. All parts liable to wear are heat treated. (25-82mm)

Code: TC3



Spare Wheel for Copper
Copper pipe cutter wheel made from high quality, correctly heat treated steel. Fits Sizes 0 1 2A 3 Pipe Cutters.

Code: 273A



S

Size 1 Steel Pipe Cutter
Fitted with wheel for cutting stainless steel plumbing and other light gauge stainless pipes, max. wall thickness 1.5mm. (4-28mm)

Code: 271U



S

Size 2A Copper Pipe Cutter
Fitted with wheel for cutting stainless steel plumbing and other light gauge stainless pipes, max. wall thickness 1.5mm. (12-43mm)

Code: 272X



Spare Wheel for Steel
Stainless steel plumbing pipe cutter wheel made from high quality, correctly heat treated steel. Cuts golf club steel shafts.

Code: 284I



S

Size 2A Tracpipe® Cutter
Designed to cut TracPipe® by Omegaflex®. (15-32mm)

Code: 295Q



Wheel for 2A Tracpipe® Cutter
Cutter wheel made from high quality, correctly heat treated steel. Designed to cut TracPipe®.

Code: 311U



S

Solar Pipe Cutter. For cutting solar pipe (12-43mm)



Copper Pipe Cutter. Strongly made outer ABS plastic casing houses the inside mechanism made from steel which takes the load of the cut. (3-35mm)

Code: 35TC



www.4pipetools.com
BUSINESS2BUSINESS

B2B website for full spares, multipacks, alternates, pricing, data sheets, product instructions, product reviews, videos and why buys...

Plumbing | Plastic Pipe Cutting



S

Plastic Pipe Cutter Strongly made with ratchet for most plastic pipes in the plumbing and electrical trades. (42mm)

Code: **2645T**



Spare Blade for 2645T Fits 2645T 42mm Plastic Pipe Cutter.

Code: **2646W**



S

Plastic Pipe Cutter Strongly made with ratchet for most plastic pipes in the plumbing and electrical trades. (60mm)

Code: **2647Z**



Spare Blade for 2647Z Fits 2647Z 60mm Plastic Pipe Cutter.

Code: **2648C**



SM

Plastic Pipe Cutter Made from Engineering plastic for rigidity. Unique, renewable blade design cuts most plastic pipes for plumbing and electrics. 100mm scale on handle. (28mm)

Code: **2644Q**



Spare Blade for 2644Q Fits 2644Q 28mm Plastic Pipe Cutter.

Code: **2649F**



S

Size 2A Plastic Pipe Cutter Cuts thicker walled plastic pipes such as those used in central heating. No spare wheel fitted. (12-43mm)

Code: **290B**



S

Size 3 Plastic Pipe Cutter Cuts thicker walled plastic pipes such as those used in central heating. No spare wheel fitted. (25-81mm)

Code: **291E**



Spare Wheel for Plastic Pipe cutter wheel for plastic made from high quality, correctly heat treated steel. Fits Sizes **0 1 2A 3** Pipe Cutters.

Code: **310R**

MONUMENT TOOLS

FIND A DISTRIBUTOR?

Call **020 8288 1100** to find your nearest independent or National merchant where you can buy Monument products.



MONUMENT TOOLS

t: +44 (0)20 8288 1100

f: +44 (0)20 8288 1108

e: info@monument-tools.com

www.4pipetools.com
BUSINESS2BUSINESS

Plumbing | Auto Copper Pipe Cutting



S

Mini Copper Pipe Cutter Clip on and rotate to cut copper pipe. Pressure diecast body. (1806L 6mm / 1808O 8mm / 1810R 10mm)

Code: 1806L / 1808O / 1810R



S

Mini-Autocut® Copper Pipe Cutter Clip on and rotate to cut copper pipe. Machined aluminium body. (1706A 6mm / 1708G 8mm / 1710N 10mm)

Code: 1706A / 1708G / 1710N



SM

Monument Autocut® Clip on and rotate to cut copper pipe. Pressure diecast body. (1712T 12mm / 1714Z 14mm)

Code: 1712T / 1714Z



S

Monument Autocut® Clip on and rotate to cut copper pipe. Pressure diecast body. (1716F 16mm / 1/2in. Nominal / 1718L 18mm)

Code: 1716F / 1718L



SM

Monument Autocut® Clip on and rotate to cut copper pipe. Pressure diecast body. (15mm)

Code: 1715C



SM

Monument Autocut® Clip on and rotate to cut copper pipe. Pressure diecast body. (22mm / 3/4in. Nominal)

Code: 1722Y



SM

Monument Autocut® Clip on and rotate to cut copper pipe. Pressure diecast body. (28mm / 1in. Nominal)

Code: 1728Q



SM

Monument Autocut® Clip on and rotate to cut copper pipe. Pressure diecast body. (1721V 21mm / 1727N 27.4mm)

Code: 1721V / 1727N



SM

Spare Wheel for Autocut® Copper pipe cutter wheel made from high quality, correctly heat treated steel. Fits Pipeslice® & Autocut®.

Code: 269N



Refrigeration Mini-Autocut® Copper Pipe Cutters Clip on and rotate to cut copper pipe. Machined aluminium body. (1/4in. 5/16in. 3/8in.)



Aircon Autocut® Copper Pipe Cutter Clip on and rotate to cut copper pipe. Pressure diecast body (1/2in. 5/8in. 3/4in. 1in.)



www.4pipetools.com
BUSINESS2BUSINESS

B2B website for full spares, multipacks, alternates, pricing, data sheets, product instructions, product reviews, videos and why buys...

Plumbing | Copper Pipe Cutting



SM

Auto Copper Pipe Cutter Cuts copper pipe - particularly in difficult places. Strongly made - outer ABS plastic casing houses the inside steel mechanism (14mm). **Patented.**

Code: 14PC



SM

Auto Copper Pipe Cutter Cuts copper pipe - particularly in difficult places. Strongly made - outer ABS plastic casing houses the inside steel mechanism (15mm). **Patented.**

Code: 15PC



SM

Auto Copper Pipe Cutter Cuts copper pipe - particularly in difficult places. Strongly made - outer ABS plastic casing houses the inside steel mechanism (16mm 1/2in. Nominal). **Patented.**

Code: 16PC



SM

Auto Copper Pipe Cutter Cuts copper pipe - particularly in difficult places. Strongly made - outer ABS plastic casing houses the inside steel mechanism (21mm). **Patented.**

Code: 21PC



SM

Auto Copper Pipe Cutter Cuts copper pipe - particularly in difficult places. Strongly made - outer ABS plastic casing houses the inside steel mechanism (22mm 3/4in. Nominal). **Patented.**

Code: 22PC



Spare Wheel for Copper

Copper pipe cutter wheel made from high quality, correctly heat treated steel. Fits 14PC 15PC 16PC 21PC 22PC.

Code: W15PC



S

Semi-Auto Copper Pipe Cutter

Cuts automatically once it has been sized and after tightening no further adjustment or feeding of the wheel into the pipe is required (8-22mm).

Code: 300M



Spare Wheel for Copper

Copper pipe cutter wheel made from high quality, correctly heat treated steel. Fits 300M.

Code: 301P

MONUMENT

Diy
TOOLS

Monument offers a range of tools in its DIY range for plumbing and heating. See www.4pipetools.com for details.

www.4pipetools.com
BUSINESS2BUSINESS


MONUMENT TOOLS

t: +44 (0)20 8288 1100

f: +44 (0)20 8288 1108
e: info@monument-tools.com

www.4pipetools.com
BUSINESS2BUSINESS

Plumbing | Copper Pipe Bending



Refrigeration Pipe Bender
Make up to 180deg bends on 1/4in., 5/16in. and 3/8in. copper pipe.

Code: **2612V**



M
Copper Pipe Bender Guide Fits Monument 2600K 15mm-22mm pipe bender as well as Record® 218M, Hilmor® GLM etc. **(22mm)**

Code: **2603T**



M
Copper Pipe Bender Guide Fits Monument 2600K 15mm-22mm pipe bender as well as Record® 218M, Hilmor® GLM etc. **(15mm)**

Code: **2601N**




Extension Arm For bending with less effort, fits into and extends the bending arm of 2600K 15mm and 22mm Copper Pipe Bender.

Code: **2626M**



Mini Pipe Bender Make up to 180deg bends on 6mm, 8mm, and 10mm copper pipe

Code: **2611S**



S
Copper Pipe Bender Compact machines. **(2418F 15-22-28mm / 2422S 15-22-28-35-42mm)**

Code: **2418F (Max. 35mm)**

Code: **2422S (Max. 42mm)**



Copper Pipe Bender Bends
Copper and stainless plumbing pipe. Formers marked with bending angles of 30 45 and 90 deg 15 and 22mm Copper and 15mm Stainless.

Code: **2600K**



External Bending Spring
Round section wire. Useful when a number of different bends are needed in a long length of pipe. **(8mm)**

Code: **888S**



External Bending Spring
Round section wire. Useful when a number of different bends are needed in a long length of pipe. **(10mm)**

Code: **889V**



Pro Internal Bending Springs
Made from square section polished wire for the professional **(830V-15mm; 832B-22mm; 833E-28mm)**

Code: **830V / 832B / 833E**



DIY Internal Bending Springs
Made of round section wire **(2830H-15mm; 2832N-22mm)**

Code: **2830H / 2832N**

MONUMENT TOOLS

FIND A DISTRIBUTOR?

Call **020 8288 1100** to find your nearest independent or National merchant where you can buy Monument products.



MONUMENT TOOLS

t: +44 (0)20 8288 1100

f: +44 (0)20 8288 1108
e: info@monument-tools.com

www.4pipetools.com
BUSINESS2BUSINESS

Plumbing | Cleaning | Deburring



DIY Copper Pipe Deburrer
De-burrs internally and externally up to 38mm copper pipe. (38mm)
Code: 365F



Deburrer Professional all metal heavy construction tools with accurately machined tapered steel cutting surfaces. (373E 8-35mm / 374H 12-54mm)
Code: 373E / 374H



S Deburrer Metal body with replaceable swivelling blade for de-burring inside copper pipe, sheet material on steel, copper, brass, plastics, wood etc.
Code: 2117Q



DIY Deburrer Disposable plastic body with swivelling blade for de-burring inside copper pipe, sheet material, inside holes, on steel, copper, brass, plastics, wood and castings.
Code: 3020C



Copperkey® Ratcheting tool for quick, thorough pipe and fitting prep with tungsten carbide abrasive
2915Q 15mm.
2922M 22mm.
Patented.
Code: 2915Q / 2922M



M Trade Fittings Brush Cleans the inside of copper fittings and socket formed joints on copper pipe prior to soldering. Stiff steel bristles. (3021F 15mm / 3022I 22mm / 3023L 28mm)
Code: 3021F / 3022I / 3023L



Cleaning Pads Medium grade pads for cleaning, polishing, rust removal, scrubbing and blending. Washable, will not rust and does not break up during use. 6 per pack (50x250mm).
Code: 3025R



M Waste Pipe Deburrs Cleans and de-burrs plastic waste pipe. For push fit plastic pipe. (3026U 32m / 3027X 38mm)
Code: 3026U / 3027X



Plastic Pipe Deburrer Fits and clamps into hex. holder on 2644Q Plastic Pipe Cutter (sized for 15mm & 22mm barrier pipe). Optional Handle available.
Code: 2564U



M Burrfect® Waste Pipe Deburrer Cleans and de-burrs plastic waste pipe. For push fit plastic pipe.
Code: 2116N



Abrasive Strips 180 grit waterproof open mesh abrasive for cleaning and roughing jobs on copper, metal and plastic pipe and inside fittings when cut into strips. 10 per pack.
Code: 3024O



www.4pipetools.com
BUSINESS2BUSINESS

B2B website for full spares, multipacks, alternates, pricing, data sheets, product instructions, product reviews, videos and why buys...

Plumbing | Pro Kits



Pro Monobloc Kit Professionally designed, manufactured and boxed kit for 8-13mm nuts. **Patent Applied For.**



Pro Autocut® Kit Professionally designed, manufactured and boxed kit with 15 22 28mm pipe cutters and spare wheels.



Pro Radiator Kit Professionally designed, manufactured and boxed kit for most radiator fittings. **Patent Applied For.**



Pro Flow Stop Kit Seals outlets from cold water tanks for valve swap-overs without draining down the system. (15-22-28mm). **Patent Applied For.**



Pro Dry Test Kit Professional kit for dry testing carcasses. Includes flexible braided extension hose. With 15mm Schrader valve and 15mm push-fit fittings. **Patent Applied For.**



Pro RAC Pipe Cutters Including 1/4in. 5/16in. 3/8in. 1/2in. and 3/4in. Imperial sized pipe cutters for aircon and refrigeration pipes.



Pro Tap Reseater Kit Hand or power driven. BS1010 & BS5412 flat & bevelled seats, 2 double bushes and tapered cones. 8 Cutters plus 3/8in bush, 15mm flat and bevelled cutters and power bit.

Code: **477U**



Pro Freeze Kit For freezing pipes from Ø8mm to Ø22mm.



Pro 8mm 10mm Olive Cutter & Pipe Cutter Professional kit cutting 8mm and 10mm copper pipe and removing olives. **Registered Design.**



Pro Stiffnuts Kit Professional kit for removing stiff nuts from 1/2in.BSP and 3/4in.BSP tap tails & Rapid Tap Installation. **Patented.**

Code: **173W**



Pro Soldering Torch Professional torch with interchangeable tips for soldering and brazing.



Pro Mini-Autocut® Kit Professionally designed, manufactured and boxed kit with 6mm 8mm 10mm pipe cutters and spare wheels.

MONUMENT

Pro
TOOLS

Monument Pro kits are boxed kits aimed at professional Heating and Gas Engineers. See www.4pipetools.com for more details.

www.4pipetools.com
BUSINESS2BUSINESS

Steel Pipe | Cast Iron Pipe



Pro Rapid Wrench Fast automatic clamping action: the greater the force applied to the wrench, the harder the jaws grip the pipe (-23 250mm / -24 350mm / -26 455mm).

Code: **VRX010123 /-24 / -26**



Trade Multiangled Wrench Updates traditional US design. Multiangled head position. Cast aluminium (250mm).

Code: **2716M**



Trade Stillsons Drop forged handles, floating hook jaws (2710T 250x34mm Jaw / 2711W 300x42mm / 2712T 350x49mm).

Code: **2710T / 2711W / 2712Z**



Hemp Used as a sealer for threaded joints.

Code: **3016P**



Pro Manual Threader with interchangeable die heads. Ratchet housing with 2 part handle. (1/2in.BSP 3/4in.BSP 1in.BSP 1.1/4in.BSP). In plastic case.

Code: **VRX136311**



Pro Pipe Wrench Light alloy pipe wrench. Drop forged heat treated upper and lower jaws on lightweight handle for ease of use.

(VRX013745 450x76mm Jaw / -60 600x90mm Jaw).

Code: **VRX013745 / -60**



Pro Stillson Wrenches High quality heat treated handle and jaws (VRX012535 350x49mm Jaw / -45 450x60mm Jaw / -60 600x76mm Jaw).

Code: **VRX012535 / -45 / -60**



Flange Squares for checking the squareness of pipe flanges prior to welding. Steel. (VRX220610 380x250x90x60mm / -20 530x460x170x110mm).

Code: **VRX220610 / -20**

MONUMENT

Pro TOOLS

Monument Pro kits are boxed kits aimed at professional Heating and Gas Engineers. See www.4pipetools.com for more details.

www.4pipetools.com
BUSINESS2BUSINESS

MONUMENT TOOLS

t: +44 (0)20 8288 1100

f: +44 (0)20 8288 1108

e: info@monument-tools.com

www.4pipetools.com
BUSINESS2BUSINESS

Plumbing | Freezing

SV



Freezemaster® 690E Max. Ø61mm with reducer fittings for 54mm 49mm 42mm 35mm 28mm 22mm and 15mm copper (down to 8mm) iron lead plastic etc. 390x300x355mm. Refrigerant: R407c Power: 850w. 240V.

Code: **FRZ 690E240**

SV



Freezemaster® 420D With freeze heads that fit pipes up to 42mm. Aluminium heads to freeze 8mm to 42mm Refrigerant: R407c. 240V.

Code: **FRZ 420D240**

SV




Freezemaster® 280D With freeze heads that fit pipes up to 42mm. Aluminium heads to freeze 8mm to 28mm Refrigerant: R407c. 240V.

Code: **FRZ 280D240**



Freeze Spray Designed for 8-15mm copper pipe. For use with Monument 2202A Freeze Box for 8mm to 15mm pipe (**2200V 300g / 2201X 500g**).

Code: **2200V / 2201X**



Freeze Box Removeable lid, foam and cable tie. Designed for 8-15mm copper pipe. Complete with 3 injection points (100mm).

Code: **2202A**



Contractors Freeze Kit Two freeze boxes 8-15mm and one 300g Freeze Spray.

Code: **2206M**



Freezemaster® Eze-Freeze Housed in a tough metal case 330x315x215mm it can freeze Copper 8 to 28mm, steel, Iron, Lead or plastic pipes. Freeze time: 5 to 20 mins. Refrigerant: R407c. 240v.

Code: **FRZ ICE0240**

MONUMENT
Hire
TOOLS

Monument offers a number of products for the Hire Industry. See www.4pipetools.com for details.

www.4pipetools.com
BUSINESS2BUSINESS

Plumbing | Sawing | Hole Cutting



Hacksaw Die-Cast aluminium handle and tubular steel frame combine to give a lightweight tool. Adjusts for flush cutting. With 24tpi 300mm HSS blade.

Code: **1921D**



Hacksaw Blade HSS 300 x 13 x 0.65mm (12 x 1/2 x 0.025in) 24tpi. (**1922G Loose / 1923J 3-Pack**).

Code: **1922G / 1923J**



Junior Hacksaw With finger guard and 150mm 32tpi blade.

Code: **2000M**



Junior Hacksaw Blades 150 x 6 x 0.38mm 32tpi. Sold in Multiples of 10.

Code: **1120U**



Onepiece Holesaw M42 Cobalt variable pitch HSS for stainless, mild and galvanised steels, cast iron, aluminium, copper, brass, plastics, wood. Integral shank, split point pilot drill. (**22mm 1/2in.BSP**)

Code: **1848E**



Onepiece Holesaw M42 Cobalt variable pitch HSS for stainless, mild and galvanised steels, cast iron, aluminium, copper, brass, plastics, wood. Integral shank, split point pilot drill. (**28mm 3/4in.BSP**)

Code: **1849H**



Onepiece Holesaw M42 Cobalt variable pitch HSS for stainless, mild and galvanised steels, cast iron, aluminium, copper, brass, plastics, wood. Integral shank, split point pilot drill. (**1850L 35mm 1in.BSP / 1851O 45mm 1.1/4in.BSP**)

Code: **1850L / 1851O**



Onepiece Holesaw M42 Cobalt variable pitch HSS for stainless, mild and galvanised steels, cast iron, aluminium, copper, brass, plastics, wood. Integral shank, split point pilot drill. (**1852R 50mm 1.1/2in.BSP / 1853U 64mm 2in.BSP**)

Code: **1852R / 1853U**




Onepiece Holesaw Kit Kit with popular plumbing sizes M42 - 22 28 35 45 50 64mm holesaws with integral shanks. Includes 2 drills and screwdriver in carry case. (**1/2in.-2in.BSP**)

Code: **1899G**




Chassis Punch For making round holes in sheet metal (**370U 32.5mm / 372A 35mm**)

Code: **370U / 372A**



Trade Spade Bit Set For drilling holes in timber joists etc. Sizes 10mm, 12mm, 16mm, 18mm, 20mm, 25mm.

Code: **1950P**



Floorboard Lifter Forged tool for easier floorboard lifting. (**450mm**)

Code: **1388E**



www.4pipetools.com
BUSINESS2BUSINESS

B2B website for full spares, multipacks, alternates, pricing, data sheets, product instructions, product reviews, videos and why buys...

PROFESSIONAL

Plumbing | Radiators | Immersion Heaters



Radiator Stepped Ratchet Wrench For most radiator valves, nipples, lugs, tank connectors etc. Sizes of steps 10-12-12.7-17-22mm A/F.

Code: **2048E**



Universal Radiator Spanner Tapered ends. 3 profiles - universal tool. 3/8in. & 10mm square section radiator vent plugs; bayonet / internal lug type rad. valves. Tapered 12-14mm internal hexagon valves.

Code: **2052R**



Radiator Valve Spanner & Bleed Key 12mm hex. zinc plated steel spanner with comfortable, slightly offset, handle. Valve spanner & Air Release Key.

Code: **2054X**



Radiator Valve Spanner 12.7mm hex. zinc plated steel spanner with comfortable, slightly offset, handle. For 3/8in. & 10mm square section rad. vent plugs & bleed screws. Hexagon: 1/2in. 12.7 mm.

Code: **2053U**



Four Way Utility Key For gas, water & electricity meter cupboards, air-con units, stop valves, mains consoles etc., central heating pump cocks, some radiator valves and drain off valves.

Code: **2059M**



Lockshield Radiator Valve Key Three way brass key. For 1/2-3/4-1in. radiator valves. Square profiles of 7 8 9mm.

Code: **2056D**



Radiator Bleed Keys For releasing air in radiators.

Code: **2058J / 2002S**



Radiator Bleed & Gas Meter Key For releasing the air which can appear in a radiator and for opening gas meter cupboards. Made from Engineering plastic.

Code: **2050L**



Radiator Valve Lever To facilitate fitting and removal of standard and thermostatic radiator valves.

Code: **2065F**



Majig Pipe Jigs Reusable aid for first pipe fixing quickly on walls. With 15mm copper pipe slots which can be drilled out to 22mm by using a cone-shaped sheet and tube drill. **Patented.**

Code: **241F**



Mopitup Minis Super absorbent use once sheet for water based spillages. Sheets will absorb up to 2 litres of water (**370x370mm**). 2951Y 3pack / 2952B 2pack.

Code: **2951Y / 2952B**



Eradicator For removing dirt in radiators prior to power flushing. Soft Face to protect chrome and paint finishes. Connects to SDS drill.

Code: **2165J**



DIY Immersion Heater Spanners Cranked or straight. Zinc plated, pressed steel. **A/F 86mm 3.3/8in.** (359M Cranked / 360Q Straight.)

Code: **359M / 360Q**



Trade Immersion Heater Spanner Octagonal at base of steel cylinder. Supplied with tommy bar. Without slot to ensure removal of immersion heater flex, to reduce the possibility of electric shock. **A/F 86mm 3.3/8in.**

Code: **358J**



Pro Immersion Heater Spanner Octagonal for really tight immersion heaters. One piece malleable casting can be struck. 22mm clearance around the spanner allowing easier use on insulating jackets. **A/F size 86mm 3.3/8in.**

Code: **361T**

PROFESSIONAL

Plumbing | Joining | Expanding | Compression



Socket Formers Forms capillary joint for joining two pieces of copper pipe together without using fittings. Can be soft or hard soldered. Loose former allows easy withdrawal of tool. **131W 15mm / 133C 22mm / 134F 28mm.**

Code: **131W / 133C / 134F**



Socket Former Forms capillary joint for joining two pieces of copper pipe together without using fittings. Can be soft or hard soldered. Loose former allows easy withdrawal of tool (**15mm & 22mm**).

Code: **138R**



Expanding Tool Expansion heads with forged aluminium handles form socket on copper pipe. Hard soldering of joint recommended (**15 & 22 & 28mm**)

Code: **VRX252643**



Re-Rounding Tool Designed for creating 15degree flared ends on copper pipe. Also perfect for re-rounding crushed ends of copper pipe where it is unsuitable to replace the pipe (**15mm & 22mm**)

Code: **140Y**



DIY Olive Puller For removing 15mm. Engages with 14tpi thread of the compression fitting. With 12mm Square Drive for a ratchet attachment (**15mm**). Patented.

Code: **2035Q**



Olive Puller . For removing olives. Engages with 14tpi thread of the compression fitting (**15mm 22mm 3/4in.**). Patented

Code: **2036T**



Olive Cutters Removes non ferrous olives from copper pipe without damage to the pipe and without producing swarf (**2034N 8mm / 2033K 10mm / 2044S 12mm**). Registered Design

Code: **2033K / 2034N / 2044S**



Olive Cutters Removes non ferrous olives from copper pipe without damage to the pipe and without producing swarf (**2030B 15mm / 2031E 22mm**) Registered Design.

Code: **2030B / 2031E**



Pump Nut Spanner Drop forged steel Spanner fits circulating pump nuts. (**A/F 52mm**).

Code: **2040G**



Gas Meter Nut Spanner Fixed size spanner for nuts around gas meter (**36x43mm A/F**)

Code: **2043P**



Compression Fitting Nut Spanners Pressed steel fitting Spanner (**2069R A/F 24 & 32mm / 2039C A/F 39mm**) DIN895.

Code: **2069R / 2039C**



Compression Fitting Nut Spanner Pressed steel fitting Spanner (**A/F 24 & 32mm**) **2042M Twinpack.**

Code: **2032H / 2042M**



Tank Connector Fitting Tools Makes the tricky job of fitting tank connectors a one man job (**82U 15mm / 83X 22mm**).

Code: **82U / 83X**



TRV Fitting Tool Designed to enable fast removal and installation of radiator valve tails and will fit most makes and sizes (Nom. 16mm square). Use with a either a cordless drill chuck or 10mm hex ratchet.

Code: **2166M**



PTFE Tape Tape for sealing screw threads in pipework. For steam, water, gases and liquids. Low coefficient of friction (**12m x 12.7mm x 0.076mm**).

Code: **541R**



Supaflex Nut Driver 7mm A/F hose clip wrench with flexi-hose ideal for hard to get at hose clips and Jubilee® clips on dishwashers and washing machines. Patented.

Code: **2075K**

PROFESSIONAL

Plumbing | Faucets | Taps | Sinks | Stopcocks



Multi-tool for Taps Pressed steel tool with multiple uses on taps including back nuts and tap stems.

Code: **232D**




Monobloc Spanners Double ended plated steel box spanners for quick assembly of tap back nuts on basins. Includes tommy bar. (3240U A/F 8-9-10-11-12-13mm / 324H A/F 9-11-12-13mm).

Code: **3240U / 324H**



Back Nut Spanners Double ended box spanner for quick assembly of tap back nuts on basins. Exclude tommy bar. A/F 27&32mm (323F 205mm / 319U 150mm).

Code: **323F / 319U**



Shetack Basin Wrench The original Shetack™ malleable basin wrench for fitting basin and bath tap back nuts. Nominal size 1/2in. 15mm & 3/4in. 22mm (327R Heavy Duty / 318R Light Duty).

Code: **327R / 318R**



Trade Telescopic Basin Wrench Telescopic handle with spring jaws for basin and bath tap back nuts.

Code: **781T**



Pop Up Waste Tool Used for loosening and tightening nuts in awkward positions, particularly tap nuts underneath sinks and baths. Round steel handle. Supplied with 2 jaws.

Code: **325L**




Spare Jaws Spare jaws for Pro Adjustable Basin Wrenches (350L max.28.5mm A/F / 351O max.38mm A/F / 352R max.50mm A/F).

Code: **350L / 351O / 352R**



Pro Basin Wrench For loosening and tightening nuts in awkward positions, particularly tap and waste nuts underneath sinks and baths. Steel handle with hexagon (ex. 341J) for attachment to a socket and extension (341J & 345V 2 jaws / 349H 3 jaws).

Code: **341J / 345V / 349H**



Stopcock Key For turning crutch, 1/2in. 5/8in. and 3/4in. stopcocks on and off. Turning handle has one tapered end for lifting covers (1060mm).

Code: **339C-1**




Recessed Valve Spanner Steel castellated Nut Spanner for Recessed Valves e.g in walls. Excludes Tommy bar. (A/F 18 & 22mm).

Code: **322C**

Monument Stiffnuts®

For removing varying sizes of stiff backnuts from 1/2.in BSP and 3/4in. BSP taps and for Rapid Tap Installations. **Registered Design. Patent Applied for.**

- Tool stays in position on tap tail.
- Uses mechanical advantage of the thread of the tap tail to remove stiff nuts.
- For 24mm A/F, 25mm A/F, 26mm A/F and ribbed, 27mm A/F, 29mm A/F & ribbed, A/F 32mm.
- Cordless drill attachment for rapid tap installation.
- Can be attached to ratchet for additional leverage.




Monument Stiffnuts® 27mm x 32mm
For 27mm 1/2in.BSP and 32mm 3/4in.BSP Taps. Cordless drill attachment and full instructions.

Code: **170N**



Monument Stiffnuts® Professional Kit
For 25mm 27mm 29mm 1/2in.BSP and 32mm 3/4in.BSP taps. Cordless drill attachment and full instructions.

Code: **173W**



SM



Monument Stiffnuts® designed and manufactured in Britain. Registered Design. Patent Applied for.

PROFESSIONAL

Plumbing | Faucets | Taps | Sinks | Stopcocks



Pro Tap Reseater Hand or power drive. Cones screw into tap body threaded to the top. For Old Series BS1010 flat seats. 2 cones and 4 Cutters and power bit.

Code: **460U**




Pro Tap Reseater Hand or power drive. Bushes screw into tap body when not threaded to the top for BS1010 & BS5412. 2 double bushes 8 cutters and power bit.

Code: **455E**



DIY Tap Reseater With two double ended plastic bushes. Fits popular BS 5412 and BS 1010 Taps 1/2 & 3/4in. 3 case hardened cutters 17 19 25mm.

Code: **450P**



Stikfast Sticky Washers Double sided adhesive washer saves time - sticks taps or fittings in place leaving hands free for assembly. Universal size for taps, monoblocs etc. (50mmx21mm).

Code: **583R**



Pro Tap Reseater Hand or power driven. Recuts worn tap seats. Cones screw into tap body threaded to the top. For old Series BS1010 flat seats. 2 cones and 2 cutters and power bit.

Code: **499K**



Pro Tap Reseater 3/8in BSP bush Tap Reseater with 15mm flat and bevelled cutters.

Code: **457K**



Pro Tap Reseater Kit Hand or power driven. BS1010 & BS5412 flat & bevelled seats, 2 double bushes and tapered cones. 8 Cutters plus 3/8in bush, 15mm flat and bevelled cutters and power bit.

Code: **477U**



Torches 2370H LED & Laser Pointer 2452H 6x LED.

Code: **2370H / 2452H**



Square Mirror For examining joints, under floors and behind basins etc. Aluminium housing with sheet glass recessed mirror (100mm)

Code: **798T**



Telescopic Mirrors 796N 330mm extended Ø50mm mirror with double ball joint. 799W 600mm extended Ø37mm mirror with double ball joint, pocket clip. Magnetic.

Code: **796N / 799W**



Pick Up Tool Magnetic tip. Pocket clip. Telescopic handle. (600mm)

Code: **2451E**



V-Magnet Torch Two LEDs. Use with Pick-up Tool, Screwdrivers and Pro Basin Wrenches

Code: **2450B**




Contain & Drain For containing water when repairing pipework or leaks occur. With tap for easy drain off. Straps and zip hold bag in place (Capacity : **285L 10l / 287R 25l**). Patented.

Code: **285L / 287R**



Domestic Stopcock Key For turning on and off hard to get at crutch stopcocks. The removable tommy bar allows connection to a socket and ratchet handle for ease of use in difficult corners (222mm).

Code: **331E**



Wheel Valve Keys For turning domestic stopcocks on/off and turning broken/unbroken wheel heads (**31310 160mm / 3132R 200mm / 3133U Stubby**).

Code: **31310 / 3132R / 3133U**



LeakMate Reusable tool specifically designed to stop leaks in seconds, saves on inconvenience, expensive call out charges and Insurance claims (10 15 & 22mm).

Code: **824C**

Plumbing | Dosing



Circulating Pump Dosing Points Grundfos® circulating pump dosing adaptor. **Patented.**

Code: **626A / 628G**



Filling Loop Dosing Point Connect 1/2in. BSP filling loop tool to Rapid-Dose cans. **Patented.**

Code: **611G**



Rapid Dose Dosing Toolkit Includes 621L Universal Dosing Kit, 612J radiator dosing point, 3x radiator vent pin adaptors, 626A pump dosing point, 3mm hexagon key, 628G pump dosing point. **Patented.**

Code: **613M**



Radiator Dosing Points 612J-Permanent dosing point replaces a blank in radiator. 617Y-M6 vent pin doing point for Barlo®. 623R-M5 vent pin for Stelrad®. 625X-M4 vent pin for Myson®. **Patented.**

Code: **612J / 617Y / 623R / 625X**



Rapid-Dose® Precommissioning Cleaner Removes flux residues, greases, oily contaminants, sludge and debris. 400ml can treats 10 radiators. **Patented.**

Code: **632T**



Rapid-Dose® Non-Acid Sludge Dissolver Dissolves sludge and restores heat and flow. 400ml can treats 10 radiators. **Patented.**

Code: **633W**




Central Heating Inhibitor Corrosion Inhibitor effective for protection against scale, corrosion and bacteria growth in all types of indirect central heating systems, including those containing aluminium (11).

Code: **644E**



Power Flush Super Cleaner Non Corrosive general and pre-commissioning cleaner for flux residues, greases, oily contaminants, sludge and debris (11).

Code: **645H**



Sludge Dissolver Non Acid Sludge Dissolver formulated for the effective cleaning of existing central heating systems where there is a significant amount of corrosion (11).

Code: **646K**



Power Flush Descaler Non Acid Descaler formulated for the effective cleaning of existing central heating systems where there is a significant amount of scale build-up (11).

Code: **647N**

Rapid Dose®

The dosing system designed to make water treatment easier and less expensive. The Rapid-Dose disposable pressurised canister is pre-filled with inhibitor (or cleaner) and can be used to dose a sealed system within a matter of minutes.

There is no need to release system pressure or draw off water. Simply connect the canister to the filling loop isolation valve, radiator dosing point or circulating pump dosing point using the connectors and the canister will discharge itself.

Rapid Dose® works by holding the product (inhibitor or cleaner) in a bag inside the canister. This separates the product from the propellant and means that although the product is squeezed out of the bag by the pressure, the propellant never leaves the canister. As the pressure in the canister is greater than the system pressure, the canister rapidly discharges into the heating system.



Dose via Filling Loop



Dose via Radiator Valve



Dose via Vent Pins



Dose via Pump



PROFESSIONAL

Plumbing | Testing | Boilers | Flues | Fires



Leak Detector Spray Used to locate the source of a gas leak. Produces a microporous stable foam showing up the smallest leak instantly.

Code: **2020**




Screwdrivers Magnetic tip blades for fixing boilers and toilet pans (1517A No2 Phillips 300mm / 1518D Flat blade 450mm).

Code: **1517A / 1518D**



Flue Brushes Pack of 3 brushes (Ø16mm Ø50mm 50x16mm).

Code: **3014J**



Screwdriver Cross tip design for Pozidrive & Phillips Sizes 1-2-3. VDE tested to 1000V (205mm)

Code: **INS14610**



Smoke Pellets Gives off a dense white low-toxic smoke when ignited. Tests flues, chimneys, fans etc. Burn time 60s. Approx volume 15m³ Pack of 10

Code: **1470F**



Smoke Matches Gives off dense white smoke. For the same applications as smoke pellets. Burn time 20s. Approx volume 2m³ (Pack of 12)

Code: **14711-1**



JonMac Pump Multi-Tool Well designed tool allows a number of tasks to be carried out on most domestic boiler pumps.

Code: **2067L**



Vent Sizing Gauge Use to measure vent slots to calculate the area of ventilation. Stepped in increments of 1mm from 5-10mm. Stainless steel.

Code: **2580U**



Glass Fibre Yarn Asbestos free used for packing and insulation. Up to 600°C (**2330N 6mmx25m / 2331Q 8mmx25m**)

Code: **2330N / 2331Q**



Glass Fibre Yarn Asbestos free used for packing and insulation. Up to 600°C (**2332T 10mmx25m / 2333W 12mmx25m**)

Code: **2332T / 2333W**



Glass Fibre Yarn Asbestos free used for packing and insulation. Up to 600°C (**2336F 16mmx25m / 2334Z 19mmx25m**)

Code: **2336F / 2334Z**



Glass Fibre Yarn Asbestos free used for packing and insulation. Up to 600°C (**2531S 10mmx2m / 2532V 10mmx5m**).

Code: **2531S / 2532V**



www.4pipetools.com
BUSINESS2BUSINESS

B2B website for full spares, multipacks, alternates, pricing, data sheets, product instructions, product reviews, videos and why buys...

PROFESSIONAL

Plumbing | Testing | Boilers | Flues | Fires



Weir Gauge (Flow Cup) For measuring flow rates. Durable plastic design. Stainless steel mesh strainer (Dual scale 2-25 litre).

Code: **1515U**



Mains Water Pressure Gauge 11 bar maximum. 3/4in BSP thread for fitting to taps. Tri-Scale kPa psi bar.

Code: **1510F**



Dry Test Kit With 15mm push fit fitting with Schrader valve for pressurizing system under test (4 bar). 1519G M/F Flexible extension (**250mm**) available separately

Code: **1512L / 1519G**



H2O Test Kit Kit for professionals to pressure test most common applications with the selection of connectors and gauges up to 25 bar.

Code: **1514R**



Nylon Testing Plugs Used for blocking off small pipes such as copper for dry testing prior to commissioning. Nominal sizes. (**1370B 15mm / 1371E 22mm / 1372H 28mm / 1373K 35mm / 1374N 42mm**)

Code: **1370B / 1371E / 1372H / 1373K / 1374N**



Nylon Testing Plugs Used for blocking off small pipes such as copper for dry testing prior to commissioning. Nominal Sizes. (**1368U (1x 15&22mm) 1369X (2x 15&22&28mm)**).

Code: **1368U / 1369X**




Manometer Fluid With spare empty bottle for diluting.

Code: **1274J**




Test Nipples Brass screw connects gas meter to a gas test gauge. Hexagon screw shuts off supply to the gauge (**1/8in.BSP**).

Code: **1732D**



Gas Test Gauge / Manometer Made from tough plastics to test pipework pre and post gas supply being introduced (258F 60mb / 259I 90mb / 48GTG 120mb).

Code: **258F / 259I / 48GTG**



Gas Test Gauge / Manometer Made from tough plastics and plastic U-tube to test pipework pre and post gas supply being introduced (**256Z with glass U-tube for clarity / 2579T with hanger and feet**) 30mb.

Code: **256Z / 2579T**



Gas Test Gauge / Manometer Made from tough plastics and plastic U-tube to test pipework pre and post gas supply being introduced 30mb.

Code: **257C**



Pressure Test Pump Compact size for leak testing on water installations. Plastic tank. Accurate results. High pressure hydraulic hose (5 litre x 50 bar).

Code: **VRX262035**



Spare Hose for Manometers Rubber hose ID 5.5mm Food quality. Colour Orange (1276P 20m coil sold per metre / 1730X 2m).

Code: **1276P / 1730X**



Spare Hose for Manometers Nitrile hose ID 5.5mm for LPG Colour black (1275M 20m Coil sold per metre / 1731A 2m)

Code: **1275M / 1731A**



Spare Hose for Manometers Rubber hose ID 5.5mm. Black (1279Y 1m / 1277S 20m coil sold per metre / 1729T 2m).

Code: **1279Y / 1277S / 1729T**

PROFESSIONAL

Plumb Bobs | Bolsters | Line Pins | Miscellaneous




Brass Plumb Bobs Solid brass bodies with steel points with hole for line (**246U Size 00 Nominal 45g / 247X Size 0 Nominal 70g**).

Code: **246U / 247X**



Brass Plumb Bobs Solid brass bodies with steel points with hole for line (**249D Size 2 Nominal 128g / 251K Size 4 Nominal 227g / 254T Size 7 Nominal 450g**).

Code: **249D / 251K / 254T**



Pro Plumb Bobs Contemporary styled brass plumb bobs with interchangeable tips and removable caps.



Tool Bag Heavy duty nylon tool bag. With hard base & 4 bottom protectors. Ideal for holding tools and powertools (**455mm**).

Code: **316L**



Steel Plumb Bobs Zinc plated one piece type with holes for line. Nominal 113g (**385P includes 6m line**).

Code: **379W / 385P**



Steel Plumb Bobs Zinc plated one piece type with holes for line (**380A Nominal 227g / 381D Nominal 450g**).

Code: **380A / 381D**



Steel Plumb Bobs Bright finish with screw top for line (**382G Nominal 0.91kg / 383J Nominal 1.36kg / 384M Nominal 1.82kg**).

Code: **382G / 383J / 384M**



Tape Measure ABS plastic with rubber outer. Dual printed - Metric and Imperial Scale. Black and Yellow.

Code: **1959Q**



Tallow Plastic tubs. Best quality hard white tallow. Used as a lubricant for threading, pulling electric cables through conduit etc. (**262S Approx 0.5kg / 263V Approx 4kg / 260M Approx 12.5kg**).

Code: **262S / 263V / 260M**



Cork Rubbing Block For holding glasspaper, made from compressed cork with bevelled edges 114 x 63 x 32mm (**1661L Display packed / 1660I Bulk packed**).

Code: **1661L / 1660I**




DTC Engineers Chart Holds a great deal of information about threads, drills, taps, dies etc for engineers Ø105mm.

Code: **530J**



Trade Bolsters Electrician's bolster 57mm / 1673W Brick bolster 75mm / 1675C Brick bolster 100mm.

Code: **1672T / 1673W / 1675C**



Levels All in one Handy Precision Unit. With Embossed ruler graduations and numbers. Open slot for easy markings. Ideal for plumbers and DIY. Imperial units (**387V 6in. / 388Y 12in.**).

Code: **387V / 388Y**



Footprint® Pro Cold Chisels 9in. x 7/8in. (**FOOT591 Guarded / FOOT590 Unguarded**)

Code: **FOOT591 / FOOT590**



Footprint® Pro Line Pins 225 x 22mm.

Code: **FOOT620C**



Footprint® Pro Brick Bolsters 100mm. (**FOOT1237 Guarded / FOOT1236 Unguarded**)

Code: **FOOT1237 / FOOT1236**

PROFESSIONAL

Plumbing | Spanners | Wrenches | Water Pump Pliers




Wide Jaw Pliers Drop forged 5 position adjustment with toothed jaws for loosening and tightening round fittings on plastic waste pipes etc (250x75mm Jaw).

Code: 2029X



Wonder Pliers Drop forged with vinyl grips. 8 position adjustment. Spring action. With interchangeable round and square soft touch jaws for gripping delicate objects (270x70mm Jaw).

Code: 2028U



Soft Touch Pliers Soft jaws for use on as gold plated taps, stainless steel fittings etc to avoid damage, Five steps, easily replaced jaws fixed by recessed bolts (250x46mm Jaw).

Code: 2023F / 2024I



Mongoose® Slip Joint Pliers Drop forged CrV steel, correctly heat treated. Patented one handed fast automatic adjuster (2071Y 175x38mm Jaw / 2072B 250x50mm Jaw / 2073E 300x63mm Jaw).

Code: 2071Y-1/2072B-1/2073E-1



Water Pump Pliers High quality, curved jaw drop forged steel. Machine grooved adjustment. (250x43mm Jaw).

Code: 2020W



Adjustable Spanners Cushion anti-slip grip handle on durable drop forged spanner (2140K 150x23mm Jaw / 2141N 200x28mm Jaw / 2143T 250x32mm Jaw / 2144W 300x38mm Jaw).

Code: 2140K/2141N/2143T/2144W




Wide Jaw Adjustables Cushion anti-slip grip handle on durable drop forged spanner (3140Q 150x34mm Jaw / 3141T 200x38mm Jaw / 3143Z 250x50mm Jaw).

Code: 3140Q / 3141T / 3143Z




Milli-grip® Spanners Cushion anti-slip grip handle on durable drop forged spanner. (3145F 200x25mm Jaw / 3147L 200x32mm Jaw). Pull Back - Push Up - Job Done.

Code: 3145F / 3147L



Footprint® 900 Thumbturn Footprint® 900 all steel pipe wrench with 'Thumbturn' one hand adjusting nut (1990J 175x38mm Jaw / 1991M 225x64mm Jaw / 1996B 300x75mm Jaw).

Code: 1990J / 1991M / 1996B



Footprint® 698 Wrench All steel construction - the Original Footprint® wrench grips the workpiece tighter as more pressure is exerted (1986W 175x38mm Jaw / 1987Z 225x64mm Jaw / 1988C 300x75mm Jaw).

Code: 1986W / 1987Z / 1988C



Channel Lock® Smooth Jaw Plier Use smooth jaws for non-marring and plated surfaces. Non slip Undercut tongue & groove. Channellock grips for comfort (Capacity 51mm)

Code: CHL415M



Channel Lock® V-Jaw Water Pump Pliers Right angled laser heat-treated teeth - better grip and longer life. Non slip undercut tongue & groove. Channellock grips for comfort (CHL432A 250x51mm Jaw / CHL442D 300x57mm Jaw / CHL463J 400x 108mm Jaw).

Code: CHL432A /-442D /-463J



Channel Lock® Grip Lock Pliers Offset head for greater leverage. Jaw design accommodates many shapes. Channellock grips for comfort (CHL6S 165x27mm Jaw / CHL10V 225x32mm Jaw / CHL12Y 300x57mm Jaw).

Code: CHLGL6S /-10V /-12Y

Roofing



Plastic Unhanded Dresser
Durable high density plastic
(Nominal Size 2 175x50mm).
Registered Design.

Code: 721P



Plastic Unhanded Dresser
Durable high density plastic
(Nominal Size 3 190x55m).
Registered Design.

Code: 722S



Plastic Unhanded Dresser
Durable high density plastic
(Nominal Size 4 200x60mm).
Registered Design.

Code: 723V



Handed Dressers High density
plastic (200x60mm)
Left Handed or right Handed.
Nominal Size 4.

Code: 726E-LEFT / 726E-RIGHT



Bending Stick High density
plastic. Registered Design.

Code: 751E



Bossing Stick High density
plastic. Registered Design.

Code: 756T



Setting-In Stick High density
plastic. Registered Design.

Code: 762M



Chase Wedge High density
plastic (63mm).

Code: 717C



Bossing Mallets For shaping
roofing materials. (38mm
1.1/2in.) 605N Beech / 683V
Boxwood.

Code: 605N / 683V



Bossing Mallets For shaping
roofing materials. (50mm 2in.)
606Q Beech / 689N Boxwood.

Code: 606Q / 689M



Bossing Mallets For shaping
roofing materials.(63mm
2.1/2in.) 607T Beech / 690R
Boxwood.

Code: 607T / 690R



Bossing Mallets For shaping
roofing materials. (75mm 3in.)
608W Beech / 691U Boxwood.

Code: 608W / 691U

MONUMENT TOOLS

FIND A DISTRIBUTOR?

Call **020 8288 1100** to find your nearest
independent or National merchant
where you can buy Monument products.



MONUMENT TOOLS

t: +44 (0)20 8288 1100

f: +44 (0)20 8288 1108
e: info@monument-tools.com

www.4pipetools.com
BUSINESS2BUSINESS

Roofing



Beech Chase Wedges Fitted with ferrule top. Straight pattern for chasing roofing materials (713Q 50mm / 714T 63mm / 715W 75mm)

Code: 713Q / 714T / 715W



Right Handed Dressers For use on sheet lead, copper, zinc, aluminium. Made with sufficient lift to clear users' knuckles (Nominal Size 1 150x44mm) (733A Beech / 698P Hornbeam)

Code: 733A / 698P



Right Handed Dressers For use on sheet lead, copper, zinc, aluminium. Made with sufficient lift to clear users' knuckles (Nominal Size 2 175x50mm) (734D Beech / 699S Hornbeam)

Code: 734D / 699S



Right Handed Dressers For use on sheet lead, copper, zinc, aluminium. Made with sufficient lift to clear users' knuckles (Nominal Size 3 190x55mm) (735G Beech / 700C Hornbeam)

Code: 735G / 700C

 The presence of this symbol indicates the product is 'Made in Britain'.



Right Handed Dressers For use on sheet lead, copper, zinc, aluminium. Made with sufficient lift to clear users' knuckles (Nominal Size 4 200x60mm) (736M Beech / 701F Hornbeam)

Code: 736J / 701F



Right Handed Dressers For use on sheet lead, copper, zinc, aluminium. Made with sufficient lift to clear users' knuckles (Nominal Size 5 215x63mm) (737M Beech / 702I Hornbeam)

Code: 737M / 702I



Right Handed Dressers For use on sheet lead, copper, zinc, aluminium. Made with sufficient lift to clear users' knuckles (Nominal Size 6 225x75mm) (738P Beech / 703L Hornbeam)

Code: 738P / 703L

 The presence of this symbol indicates you are supporting the growth of responsible forest management worldwide



Bending Stick For use on sheet lead, copper, zinc, aluminium. Made with sufficient lift to clear users' knuckles (747R Beech / 704O Hornbeam)

Code: 747R / 704O



Bossing Stick For use on sheet lead, copper, zinc, aluminium. Made with sufficient lift to clear users' knuckles (748U Beech / 705R Hornbeam)

Code: 748U / 705R



Setting-In Stick For use on sheet lead, copper, zinc, aluminium. Made with sufficient lift to clear users' knuckles (749X Beech / 706U Hornbeam)

Code: 749X / 706U

MONUMENT

DIY TOOLS

Monument offers a range of tools in its DIY range for plumbing and heating. See www.4pipetools.com for details.

www.4pipetools.com
BUSINESS2BUSINESS

Roofing



Plumbers Pocket Knife Heavy folding blade pocket knife.

Code: **1025F**



Sheet Lead Knife Hooked bladed knife correctly heat treated with strong wooden handle.

Code: **1027L**



Straight Seaming Pliers Forms and clinches sheet materials on roofing work. Assists in forming standing seams, welts etc in lead, copper, zinc and aluminium (**115mm Jaw**).

Code: **3680**



Bent Seaming Pliers Forms and clinches sheet materials on roofing work. Assists in forming standing seams, welts etc in lead, copper, zinc and aluminium (**115mm Jaw**).

Code: **367L**



Lead Chipping Knife Heavy bladed knife with leather handles covering the tang (**150mm Blade**).

Code: **10280**



Drip Plate For slipping under sheet in roofing work to form a solid base underneath the material whilst using dressers.

Code: **12L**



Slate Cutters Cuts flat roofing slates accurately. Clean cuts from 12mm long to any required length can be made without frayed or damaged edges.

Code: **1865F**



Snips With the hand above, material flows past blades when cutting circles or intricate shapes in sheet zinc, steel, copper, brass, carpet tiles, lino, wire netting.

Code: **3536T**



Soldering Irons Copper bit is made from forged electrolytic copper with a sturdy shank fitted securely to the handle. Whitewood handles (**11600 56g / 1161R 112g**).

Code: **11600 / 1161R**



Soldering Irons Copper bit is made from forged electrolytic copper with a sturdy shank fitted securely to the handle. Whitewood handles (**1162U 225g / 1163X 337g**).

Code: **1162U / 1163X**



Soldering Irons Copper bit is made from forged electrolytic copper with a sturdy shank fitted securely to the handle. Whitewood handles (**1164A 450g / 1165D 675g**).

Code: **1164A / 1165D**



Soldering Irons Copper bit is made from forged electrolytic copper with a sturdy shank fitted securely to the handle. Whitewood handles (**900g**).

Code: **1166G**



www.4pipetools.com
BUSINESS2BUSINESS

B2B website for full spares, multipacks, alternates, pricing, data sheets, product instructions, product reviews, videos and why buys...

Drainage | Waste Unblocking



DIY Drain Unblocker Hand fed spring inside a rotatable plastic container that can be power driven is a cleaner way to unblock sinks, baths, showers, small pipes (7.5m x Ø6mm).

Code: **3314V**




Drill Snake Snake encased in a stationary plastic tube is rotated by an electric drill. Slipping clutch operates if the boring head gets caught (4.5m).

Code: **3351G**



Sink Waste Unblocker Galvanized steel wire with gripping handle for clearing sink, shower and bath wastes. Ø6mm (909L 1.8m / 910P 3.6m).

Code: **909L / 910P**



DIY Barbed Mini-Snake Quickly unclogs sinks showers bath drains bath tubs laundry tubs. No need to remove rose.

Code: **1469B**



Trade Drain Unblocker Hand fed spring inside a rotatable steel container is a cleaner way to unblock sinks, baths, showers, small pipes (7.5m x Ø6mm).

Code: **3313S**



DIY Drain Unblocker Hand fed spring inside a rotatable plastic container is a cleaner way to unblock sinks, baths, showers, small pipes (6m x Ø6mm).

Code: **3315Y**



Drain Augers Rotating crank handle with thumbscrew fits over, locks hollow cable with bulbous head for sinks, urinals, bath wastes, showers, small drains. 6mm size for strainer entry (3343H 4.5m x Ø6mm / 3344K 7.5m x Ø6mm / 3347T 15m x Ø10mm).

Code: **3343H / 3344K / 3347T**



Handle Handle with two smoothly operating hand grips. Locking screw of handle fixes cable in position whilst rotating. For use with cables 3318H 3319K 3320U 3322U.

Code: **DELH-O**



Spare Cables For 35-75mm pipes including sink traps, showers and basins. Fits 3311M container or DELH-O Handle (3318H 7.5m x Ø6mm / 3319K 15m x Ø6mm / 3320U 7.5m x Ø8mm / 3322U 7.5m x Ø10mm)

Code: **3318H/3319K/3320U / 3322U**



Pro Drain Unblocker Durable steel container reduces mess when cleaning small pipes. Chuck tightens on cable with a quarter turn. Rotation by electric drill or crank handle. For use with cables 3318H 3319K 3320U 3322U.

Code: **3311M**



Snakentainer Cable For 35-75mm pipes. Fits 3334F. Cable wound right handed for easier manual operation and greater flexibility. Cable has fixed bulb (15m x Ø10mm).

Code: **3323X**



Pro Snakentainer Easy to operate manual drain cleaner for 50-100mm lines, a crank handle turns the container. Load with a refill cable for strength and flexibility to do a good cleaning job.

Code: **3334F**

PROFESSIONAL

Drainage | Compressed Air | Gulley Scoops



DIY Hydrojet Pump Opens tough blockages - with a water jet - in sinks, baths, showers, toilets and drains. With 3 adaptors for sinks, drains and toilets.

Code: **1452B**



Trade Power Plunger Makes compressed air by pumping the plunger. Pull trigger quickly and discharge into the water column even around corners to dislodge the blockage.

Code: **2161X**



Pro Kinetic Water Ram Compact, lightweight water ram uses a burst of compressed air to produce kinetic transfer of energy through water to break up blockages in pipelines. Ram has safety valve, self contained air pump and gauge to read correct working pressure. Works on wash basins, showers, baths, sinks, urinals and drains. Complete with 1½in., 2in., 3in., 4in. plugs; 5 bungs ½in. to 3in.; 7in. WC cleaning disc; water filling and caulking hoses; tap connector; instructions; couplings & connectors. Supplied in two plastic carry cases.

Code: **3336L**



Stone Grabber Cleans out stones, solid objects from manholes, gullies etc. (1.5m)

Code: **1065Z**



Gorilla Wipes Anti bacterial formula kills harmful bacteria. 20x30cm (**GORILLA80 80 Wipes / GORILLA250 250 wipers**).

Code: **GORILLA80 / -250**



Round Bowl Gulley Scoops Hinged bowl cleans out mud, silt, leaves, stones, solid objects from manholes, gullies etc.

1068I 90mm x 1.5m

1066C 135mm x 1.5m

1064W 200mm x 1.5m

2064D 200mm x 2.5m

Code: **1068I/1066C/1064W/2064D**



Square Bowl Gulley Scoops Hinged bowl cleans out mud, silt, leaves, stones, solid objects from manholes, gullies etc.

1067F 150mm x 1.5m

1063T 200mm x 1.5m

2061T 150mm x 2.5m

2063A 200mm x 2.5m

Code: **1067F/1063T/2061T/2063A**



Go to: Drain-Tools.com

For a range of tools and equipment for the Drain Cleaning Professional.

PROFESSIONAL

Drainage | Toilet Unblocking | Plungers



Urinal Unblocker Removes solid objects from urinal bowls. (1.2m).

Code: **3352J**



Pro Toilet Unblockers Removes solid objects including fresheners from blocked WC pans. Double spring Flexicore cable with vinyl guard to avoid scratching WC pans (**3354P 0.9m / T6FL 1.8m / T6FL-DH 1.8m with Down-Head Fitting**).

Code: **3354P / T6FL / T6FL-DH**



Trade Toilet Unblockers Cleans WC pans and gullies. Barrel type head on end of 10mm spring. (**3349Z 0.9m x Ø10mm / 3350D 1.8m x Ø10mm**).

Code: **3349Z / 3350D**



Pro Force Pump Heavy duty powerful force pump for removal of blockages in drains and basin, bath and shower and toilet pan waste pipes. Complete with small and large rubber adaptors.

Code: **1455K**



DIY Micro Plunger Micro sink, shower and bath plunger. (Ø110mm)

Code: **1461D**



Trade Handy Plunger For wash basins and shower. High displacement bellows design. Easily cleaned (Ø120mm)

Code: **1460Y**



Pro Toilet Plunger High displacement for toilets and gulleys. Easily cleaned bellows design allows force to be directed around the u-bend. For toilets and gulleys.

Code: **MP1600**



Cooper's Plunger Ideal for clearing WC pan wastes and gullies with soft, flexible rubber and wooden tee handle. (Ø140mm).

Code: **1453E**



Force Cups Turned wooden handle; rubber cup & plastic retaining disc (**1456N Small / 1457Q Medium / 1458T Large**).

Code: **1456N / 1457Q / 1458T**



Trade Mini-Master Plunger For wastes all around the house. Easily cleaned high displacement bellows design. (Ø120mm)

Code: **M-M3**



Pro Master Plunger Professional plunger for the tradesman. Easily cleaned largest displacement bellows in the range (Ø150mm)

Code: **1459W**



Long Reach Plungers Made with flexible rubbers and zinc plated steel components suitable for suction clearing of drains and gullies. 760mm (**184E Ø100mm / 185H Ø150mm**).

Code: **184E / 185H**



Trade Recycled Material Toilet Plunger Easily cleaned. High displacement bellows design.

Code: **58X**



DIY Recycled Material Blaster Plunger Easily cleaned. High displacement bellows design (Ø165mm).

Code: **59A**




DIY Recycled Material Mini Plunger Easily cleaned. High displacement bellows design (Ø125mm).

Code: **60E**


PROFESSIONAL

Drainage | Manhole Cover Lifting | Standpipe



D-End Light Duty Manhole Cover Keys Malleable iron. Tee handle. D-shaped end. (w25 x 13 x 8mm).

Code: **1010L**



L-End Light Duty Manhole Cover Keys For light duty manhole covers Ø10mm steel. Bent at end.

Code: **1012R**



T-End Manhole Cover Keys Heavy duty zinc plated manhole cover lifting keys with rectangular shaped end (lug), triangular handle. Nominal size of lug 33 x 16 x 5mm (**MLK06 150mm / MLK12 300mm**).

Code: **MLK06 / MLK12**




T-End Manhole Cover Keys Heavy duty zinc plated manhole cover lifting keys with rectangular shaped end (lug) and triangular handle. Nominal size of lug 33 x 16 x 5mm (**MLK20 500mm / MLK24 600mm**).

Code: **MLK20 / MLK24**




Kobus® Seal Breaker Two piece. Mechanical, durable, compact, portable, manoeverable and flexible lifter for most shapes of cover. Set includes 2x lifting keys with 4x interchangeable tips. Max lift 2000kg. Weight each half 17kg (1049C includes trolley handle / 1050F excludes trolley handle).

Code: **1049C / 1050F**



Cover Lifting Set Supplied with 2 lifting keys with 6 Pairs of interchangeable tips : T-shaped 35x15x5mm & 25x12x5mm. Threaded M8 M10 & M12 Tips and 10mm Hooked Tips.

Code: **1029R**



Gulley Key For roadside storm drain covers.

Code: **1018J**




Four Key Cover Lifter Quick to assemble and simple to use. Supplied with a set of 4 keys which will enable most types of cover to be lifted. Max lift 1500kg.

Code: **1013U**




Easy Lifter For one man to lift manhole covers with minimum effort, the foot on the easy-lifter enables the user to get more purchase. Supplied with 3 keys.

Code: **1047V**



Standpipe Contractors Standpipe. Complete with hydrant base, double check valve and single 3/4in. tap outlet.

Code: **3299U**



Standpipe Key For opening and closing fire hydrant valves. 50mm tapered opening.

Code: **3298R**




Hydraulic Cover Lifter Up to 2 tons of lift, SWL 800kg, making easy work of the heaviest manhole cover. The lifter is supplied with 4 sets of keys which will enable most types of cover to be lifted. Spreader Bars available separately.

Code: **1043J**



Two-Key Cover Lifter With rotating lifting eye can lift 2 hole square, rectangular, round, triangular and split covers. Quick to assemble, fits easily into a car boot. With seal breakers and two pairs of keys.

Code: **1045P**




Cover Lifting Set Manhole Cover lifting set with carbon steel zinc plated interchangeable tips. Includes: 2 x 440mm Handles, interchangeable 33mm rectangular Tips, 22mm rectangular Tips, 10mm Side Entry tips, M10 Screw Tips, M12 Screw Tips, M16 Screw Adaptors. 1 Short Stopcock Tip, 1 Long Stopcock Tip. Tips in a small plastic box. (**Spare Nylon Tips 1021T**)

Code: **1020Q**



Drainage | Testing




Hand Bellows Use to pump air into the pipe system being tested - fitted with a positive, hand operated non-return valve.

Code: **1790**



Nipple Caps Made from plastic with a washer. For attachment to drain test plug outlets to enable connection of rubber hose to a U gauge (**180S 1/2in.BSP / 181V 1in.BSP / 182Y 2in.BSP**).

Code: **180S / 181V / 182Y**



U Gauge Tests for leaks in pipes up to 100mm wg pressure (10mb). Unbreakable parts. Hinged lid.

Code: **175C**




Drain Test Kit Use the kit to carry out an air test to 100mm wg pressure (10mb) on drain. Includes U Gauge, bellows pump, 1/2in.BSP & 1in.BSP nipple caps, T piece; 3 x 600mm lengths of rubber hose.

Code: **174Z**



Hose Adaptor Adaptor for connecting 5.5mm ID gas test gauge rubber hose to 10mm ID rubber hose used with drain test plugs and nipple caps.

Code: **AD01**



Tee Piece Connects three pieces of rubber hose 10mm ID together for convenient connection to U gauge, bellows and nipple cap.

Code: **183B**



Rubber Hose Correct diameter to connect U gauge components together. Colour Black. (**20m x Ø10mm**)

Code: **1445F**



Nylon Test Plugs Used for blocking off drain pipes and for air testing with 1/2in BSP outlet (**1377W Ø75mm / 1378Z Ø100mm / 1379C Ø150mm**).

Code: **1377W / 1378Z / 1379C**



Yellow Drain Tracing Dye For tracing the direction of flow or to where a drain pipe runs. Recommended dilution rates at www.4pipetools.com (**1265H approx. 112g / 1271A approx. 227g**).

Code: **1265H / 1271A**




Drain Testing Smoke For testing drains etc. Naked flame required to ignite. Works under water. Approx volume 300m³. Burn time approx 90s.

Code: **1462G**



Nylon Test Plugs Used for blocking off drain pipes and for air testing with 1/2in BSP outlet (**1375Q Ø42mm / 1376T 50mm / 1380F Ø63mm**).

Code: **1375Q / 1376T / 1380F**




Universal Flexible Test Plug Use for blocking off and air testing pipes with 174Z. With central mandrel, central nipple is for connection to U Gauge (**Ø89-Ø150mm**).

Code: **1474R**



Green Drain Tracing Dye For tracing the direction of flow or to where a drain pipe runs. Recommended dilution rates at www.4pipetools.com (**1264E approx. 112g / 1270X approx. 227g**).

Code: **1264E / 1270X**



Blue Drain Tracing Dye For tracing the direction of flow or to where a drain pipe runs. Recommended dilution rates at www.4pipetools.com (**1263B approx. 112g / 1269T approx. 227g**).

Code: **1263B / 1269T**



Red Drain Tracing Dye For tracing the direction of flow or to where a drain pipe runs. Recommended dilution rates at www.4pipetools.com (**1261V approx. 112g / 1268Q approx. 227g**).

Code: **1261V / 1268Q**



Fluorescein Drain Tracing Dye For tracing the direction of flow or to where a drain pipe runs. Fluoresces under black light - does not require UV light. (**1260S approx. 112g / 1267N approx. 227g**).

Code: **1260S / 1267N**

Drainage | Bacterial Treatments | Roebic



K-97 Main Drain (Line) Cleaner
For use in toilet waste pipes, drains & sewers. Digests solids, fats, grease & paper. Safe for use with septic tanks. Biodegradable (3728C 0.95l / 3734V 1.9l / 3729F 3.8l)

Code: 3728C / 3734V / 3729F



K-87 Soap Digester Specialised bacteria break down soaps and detergents in laundry & kitchen drains. (0.95l).

Code: 3726W



K-67 Drain and (Sink) Trap Cleaner Clears grease, food residues & soap scum build up which cause sluggish drains. Safe for use with septic tanks. Use **monthly**. (3730J 0.95l / 3731M 1.9l).

Code: 3730J / 3731M



K-67 Granular Concentrated Drain and (Sink) Trap Cleaner Clears grease, food residues & soap scum build up which cause sluggish drains. Safe for use with septic tanks. Use **monthly**.

Code: 3725T



K-37 Septic Tank Treatment (Activator Booster Starter) Accelerates the breakdown of sewage waste. For use **once a year** to prevent clogging. Use after septic tank has been pumped (3720E 0.95l / 3736B 1.9l / 3721H 3.8l).

Code: 3720E / 3736B / 3721H



K-37 Granular Concentrated Septic Tank Treatment (Activator Booster Starter) Accelerates the breakdown of sewage waste. For use **once a year** to prevent clogging. Use after septic tank has been pumped.

Code: 3737E



K-47 Cesspool Treatment (Activator Booster Starter) Prevents clogging of inlets and outlets. Accelerates the breakdown of sewage waste. For use **once a year** to prevent clogging. Use after cesspool has been pumped (0.95l).

Code: 3722K



K-57 Emergency Septic Tank & Cesspool Cleaner Acts quickly to restore operating efficiency. Apply when sluggishness first appears or when system has not been used for a long time (3723N 0.95l / 3732P 1.9l / 3724Q 3.8l)

Code: 3723N / 3732P / 3724Q



Garden Bacterial Composter Accelerates natural composting process. Easy to use. Safe for the environment. Biodegradable (0.95l).

Code: 3761B



Urinal Treatment Selected bacteria degrade urine and utilize ammonia. Reduces odors and help prevent build up of salts which cause urinal stones. For conventional and waterless urinals. Non-caustic. Use **weekly** (0.9l).

For the full range of Roetech Professional Products visit Drain-Tools.com



Holding Tank Treatment for RV & Marine Breaks down waste and paper. Contains no formaldehyde or methyl alcohol. Safe for plastic pipes. Fragranced. Biodegradable (0.95l).

Code: 3771G

Grey Water Treatments for Boats Caravans Camper Vans & Portable Toilets



Grey Water Treatment for RV & Marine Breaks down soaps and detergents. Apply to sinks, showers, drain & vents. Fragranced. Biodegradable (0.95l).

Code: 3772J

Drainage | Testing | Cutting | Joining



S

Aluminium Plate Drain Testing Plugs For blocking off and testing drain pipes. With removable top cap and rubber ring. 1in. BSP outlet. (190X 175mm / 193G 200mm / 194J 225mm)

Code: 190X / 193G / 194J



S

Aluminium Plate Drain Testing Plugs For blocking off and testing drain pipes. With removable top cap and rubber ring. 1/2in. BSP outlet. (207D 113mm / 1278V 125mm / 191A 150mm)

Code: 207D / 1278V / 191A



S

Aluminium Plate Drain Testing Plugs For blocking off and testing drain pipes. With removable top cap and rubber ring. 1/2in. BSP outlet. (187N 75mm / 206A 88mm / 189T 100mm)

Code: 187N / 206A / 189T



S

Aluminium Plate Drain Testing Plugs For blocking off and testing drain pipes. With removable top cap and rubber ring. 1/2in. BSP outlet. (199Y 38mm / 186K 50mm / 188Q 63mm)

Code: 199Y / 186K / 188Q



S

Aluminium Plate Drain Testing Plugs For blocking off and testing drain pipes. With removable top cap and rubber ring. 1in. BSP outlet. (195M 250mm / 196P 300mm)

Code: 195M / 196P



S

Steel Plate Drain Testing Plugs For blocking off and testing drain pipes. With removable top cap and rubber ring. 1in. BSP outlet. (923D 200mm / 915E 225mm / 924G 250mm / 925J 300mm)

Code: 923D / 915E / 924G / 925J



S

Steel Plate Drain Testing Plugs For blocking off and testing drain pipes. With removable top cap and rubber ring. 1/2in. BSP outlet. (916H 100mm / 917K 150mm)

Code: 916H / 917K



S

Steel Plate Drain Testing Plugs For blocking off and testing drain pipes. With removable top cap and rubber ring. 1/2in. BSP outlet. (920U 38mm / 921X 50mm / 922A 75mm)

Code: 920U / 921X / 922A



Squirrel Tails Adjustable glass fibre jointing ring used when pouring lead into caulked soil pipe. Adjustable to maximum sizes shown (27F 100mm / 28I 150mm / 29L 225mm / 30P 300mm).

Code: 27F / 28I / 29L / 30P



Turnpins Used for opening up lead pipe prior to joint wiping. Made from polypropylene (602E Ø38mm / 604K Ø50mm).

Code: 602E / 604K



Drain Pipe Cutter Pipe Support Pipe Support Stand for PPC110.

Code: PPCST



Drain Pipe Cutter Cuts and bevels squarely plastic soil and drain (above and below ground) pipes. Eliminates filing and rasping. Reduces damage to 'O' rings during installation (Ø110mm)

Code: PPC110



Pot Hook A safe way of lifting handles of melting pots away from furnaces.

Code: 1090Z



Melting Pot Cast iron melting pot with bail handle, pouring lip and three legs. Lead capacity 66kg (250mm).

Code: 1086M



Heavy Duty Ladles For pouring molten metals and compound. Right handed (1070P Ø75 x 350mm / 1071S Ø100 x 380mm / 1073Y Ø150 x 635mm).

Code: 1070P / 1071S / 1073Y



Light Duty Ladles Handles welded to pressed steel bowls. Zinc plated finish. For pouring molten metals and compound. Right handed (18D Ø100mm / 19G Ø125mm / 20K Ø150mm).

Code: 18D / 19G / 20K

PROFESSIONAL

Drainage | Plugs | Stoppers



Flexible Plugs Use for blocking off pipes. With peripheral ribs and Schrader valve (**1287X Ø25mm / 1288A Ø50mm / 1289D Ø75mm**). Use with 1308Q Pump.

Code: **1287X / 1288A / 1289D**



Flexible Plugs Use for blocking off pipes. With peripheral ribs and Schrader valve (**1290H Ø100mm / 1291K Ø150mm / 1297C Ø200-Ø300mm**). Use with 1308Q Pump.

Code: **1290H / 1291K / 1297C**



Extension Inflation Hose Use to extend with Flexible Plugs inflation hose. Fitted with Schrader valve (**3m**). Use with 1308Q Pump.

Code: **1286U**



Canvas Air Bag Stopper Canvas outer casing with rubber bladder inside fitted Schrader valve (**Ø100mm**). Use 1308Q Pump.

Code: **1479G**



Nylon Air Bag Stoppers Nylon outer casing with Schrader valve (**1292N Ø100mm / 1293Q Ø150mm**). Use with 1308Q Pump.

Code: **1292N / 1293Q**



Schrader Valve Pump To inflate Flexible Plugs and Universal Flexible Plugs fitted with Schrader valves.

Code: **1308Q**



Brass Valve Pump With 1/4in.BSP male thread - fits canvas airbag stoppers except 1479G.

Code: **1487F**



Canvas Air Bag Stoppers Canvas outer casing with rubber bladder inside (**1477A Ø50mm / 1478D Ø75mm / 1472L Ø100mm**). Use with 1487F Pump.

Code: **1477A / 1478D / 1472L**



Safe-T-Seal® Long Test Plugs Preset relief valve prevents over inflation with air or water. Two stage deflation allows the access pipe to remain sealed while water clears the drain line - prevents back splash (**GT LTP34 Ø75-Ø100mm / GT LTP56 Ø125-Ø150mm**).

Code: **GT LTP34 / GT LTP56**



Safe-T-Seal® Test Plugs Preset relief valve prevents over inflation with air or water. All plugs are tested for 24hrs before shipping (**GT TP122 Ø35-Ø50mm / GT TP34 Ø75-Ø100mm**).

Code: **GTTP122/-34/-46/-58**



Safe-T-Seal® Test Plugs Preset relief valve prevents over inflation with air or water. All plugs are tested for 24hrs before shipping (**GT TP1012 Ø250-Ø300mm / GT TP1416 Ø350-Ø400mm / GT TP1824 Ø450-Ø600mm**).

Code: **GT TP1012/-1416/-1824**



Canvas Air Bag Stoppers Canvas outer casing with rubber bladder inside (**1481N Ø150mm / 1482Q Ø225mm / 1483T Ø300mm**). Use with 1487F Pump.

Code: **1481N / 1482Q / 1483T**




Go to: Drain-Tools.com

For a range of tools and equipment for the Drain Cleaning Professional.

PROFESSIONAL

Drainage | Spring Rods | Steel Rods



Ø12mm Spare Rods Spare Spring wire Rod - can be joined together and disconnected using a key. (903T Rod / 904W Starter)

Code: 903T / 904W




Ø12mm Set Spring Steel Rods Includes Starter rod, Backlength, Adaptor to U/J cane, Key & Handle. Flexible enough to negotiate gullies, toilet pans and acute bends. 0.9m x Ø12mm.

Code: 908I




Ø19mm Spare Rod Spare Spring wire Rod - can be joined together and disconnected using a key. 0.9m.

Code: 895O




Ø19mm Set Spring Steel Rods Set includes rods, handle, key, worm Screw, 100mm Plunger & 100mm Drop Scraper. Spring Rods can be joined together and disconnected using a key (893I 9m 10rods / 892F 18m 20 rods)

Code: 893I / 892F




Ø19mm Adaptor to Universal Drain Rod Adapts spring rods to 3/4in. Universal fitting.

Code: 902Q



Ø19mm Double Worm Screw Flexible enough to negotiate acute bends. Rods joined together using key.

Code: 898X



Ø19mm Plunger Pulling and pushing with the plunger creates suction to unblock a drain. Ø100mm.

Code: 899A



Ø19mm Drop Scraper Flexible enough to negotiate acute bends. Rods joined together using key.

Code: 896R



Ø8mm Rotating Handle Use for added leverage when rotating the rods.

Code: ST-RH



Ø8mm Plungers Pulling and pushing with the plunger attached creates suction to unblock a drain. (ST-PL4 Ø100mm / ST-PL6 Ø150mm).

Code: ST-PL4 / ST-PL6



Ø8mm Double Worm Screw Picks up all sorts of soft debris when the rods are rotated. (ST-DWS2 Ø50mm / ST-DWS4 Ø100mm x ST-DWS6 Ø150mm).

Code: ST-DWS2 / -4 / -6



Ø8mm Steel Drain Rods Solid steel drain rod made from high tensile case hardened steel with interlocking system which will not undo except with a spanner. (ST-1.5M 1.5m x Ø8mm / ST-2M 2m x Ø8mm).

Code: ST 1.5M / ST 2M



Ø8mm Wire Cleaning Brush For scouring pipes and final removal of debris (ST-WCB4 Ø100mm / ST-WCB6 Ø150mm).

Code: ST-WCB4 / ST-WCB6



Ø8mm Spanner Tightens and loosens fittings on ST series rods and fittings.

Code: ST-SP



Ø8mm Crown Root Cutter Double ended saw tooth cutter for roots. (ST-CRC4 Ø100mm x ST-CRC6 Ø150mm).

Code: ST-CRC4 / ST-CRC6




Ø8mm Diamond Spearhead Use for making an initial hole in the blockage.

Code: ST-DSH


PROFESSIONAL

Drainage | Universal Polypropylene Rods




S
DIY Drain Rod Set Universal joint. Rotate 19mm rods clockwise only. Set includes 100mm rubber plunger, 100mm brush & 50mm double worm screw (**10 rods**).

Code: **1389H**




S
Drain Rod Sets Universal joint. Rotate 19mm rods clockwise only. Set includes 100mm rubber plunger, 100mm brush & 50mm double worm screw (**1390L 9m 10 rods / 1391O 18m 20 rods**).

Code: **1390L / 1391O**




0.9m Spare Rods Universal joint. 0.9m x Ø19mm polypropylene with brass joints.

Code: **1400W**



1.8m Spare Rod Universal joint. Ø25mm polypropylene with brass joints (**1404I 0.9m / 1406O 1.8m**).

Code: **1404I / 1406O**



Bailey Blue Rod Bailey Pro Blue Rod 0.9m x Ø19mm.

Code: **1600E**



Double Worm Screw Universal joint. For withdrawing paper, rags etc (**1408U Ø50mm / 1421J Ø75mm**).

Code: **1408U / 1421J**



Rubber Plungers Universal joint. Pushes water and debris through blocked drains and removes blockages by suction (**1410B Ø100mm / 1411E Ø150mm**).

Code: **1410B / 1411E**



One Piece Rubber Plungers Universal joint. Pushes water and debris through blocked drains and removes blockages by suction (**1432R Ø100mm / 1433U Ø150mm**).

Code: **1432R / 1433U**



Sweeps Brush Universal joint. Attach to rods for sweeping chimneys (Ø400mm).

Code: **1437G / 1438J**



Drain Brush Universal joint. For final cleaning of drains (Ø100mm).

Code: **1422M**



Drop Scraper Universal joint. For breaking up silt and mud (Ø100mm).

Code: **1426Y**



Clearing Wheel For easing the passage of rods through irregular or rough drains. Universal joint.

Code: **1430L**




Harpoon Hooks on to and pulls back items lodged in the drain. Universal joint.

Code: **1434X**



Retrieving Tool For retrieving drain rods stuck down the drain. Universal joint.

Code: **1442W**



Rotating Handle Universal joint. For easy turning of drain rods.

Code: **1439M**



Drain Rod Cases For storage of ten 3ft.x 3/4in. Universal or Ideal drain rods. Carry handle. Drain rods not included (**1447L Rigid case / 1448N Nylon Bag**).

Code: **1447L / 1448N**


PROFESSIONAL

Drainage | Lockfast Polypropylene Rods



Bailey® Blue Rods Bailey Pro Blue Rod. Lockfast joint (1601H 1.8m x Ø19mm / 1602K 1.8m x Ø25mm / 1604Q 0.9m x Ø19mm).

Code: 1604Q / 1601H / 1602K



Drain Rod Sets Lockfast joints ensure the rods cannot come undone whichever way the rods are turned. Set includes 100mm rubber plunger, 50mm double worm screw and 100mm drain brush (1392R 9m 10 rods / 1393U 18m 20 rods).

Code: 1392R / 1393U




0.9m Spare Rods Lockfast joint. 0.9m x Ø19mm polypropylene with brass joints.

Code: 1401Z / 1405L



1.8m Spare Rod Lockfast joint. Ø25mm dia polypropylene with brass joints (1405L 0.9m / 1407R 1.8m).

Code: 1407R



Rotating Handle Lockfast joint. For easy turning of drain rods.

Code: 1436D



Double Worm Screw Lockfast joint. For withdrawing paper, rags etc (Ø50mm).

Code: 1409X



Rubber Plungers Lockfast joint. Pushes water and debris through blocked drains and removes blockages by suction (1412H Ø100mm / 1413K Ø150mm).

Code: 1412H / 1413K



Harpoon Hooks on to and pulls back items lodged in the drain. Lockfast joint.

Code: 1435A



Retrieving Tool For retrieving drain rods stuck down the drain. Lockfast joint.

Code: 1443Z



Drain Brush For final cleaning of drains. Lockfast joint. (Ø100mm).

Code: 1424S



Drop Scraper Lockfast joint. For breaking up silt and mud (Ø100mm).

Code: 1427B



Clearing Wheel For easing the passage of rods through irregular or rough drains. Lockfast joint.

Code: 1431O



Go to: Drain-Tools.com

For a range of tools and equipment for the Drain Cleaning Professional.

PROFESSIONAL



www.4pipetools.com
BUSINESS2BUSINESS

B2B website for full spares, multipacks, alternates, pricing, data sheets, product instructions, product reviews, videos and why buys...

MONUMENT

Hire
TOOLS

Monument offers a number of products for the Hire Industry. See www.4pipetools.com for details.

www.4pipetools.com
BUSINESS2BUSINESS

MONUMENT TOOLS

FIND A DISTRIBUTOR?

Call **020 8288 1100** to find your nearest independent or National merchant where you can buy Monument products.



MONUMENT TOOLS

t: +44 (0)20 8288 1100

f: +44 (0)20 8288 1108
e: info@monument-tools.com

www.4pipetools.com
BUSINESS2BUSINESS

PROFESSIONAL



B2B website for full spares, multipacks, alternates, pricing, data sheets, product instructions, product reviews, videos and why buys...

www.monumenttools.co.uk

MONUMENT

Hire
TOOLS

Monument offers a number of products for the Hire Industry.

www.monumenttools.co.uk

MONUMENT TOOLS

FIND A DISTRIBUTOR?

Call **020 8288 1100** to find your nearest independent or National merchant where you can buy Monument products.



MONUMENT TOOLS

The Monument range

Covering all aspects of the industry, we supply tools for DIY, Hire, Pro and Trade use. See the full range online at:

www.monumenttools.co.uk

MONUMENT

DIY
TOOLS

MONUMENT

Hire
TOOLS

MONUMENT

Pro
TOOLS

MONUMENT

Trade
TOOLS

MONUMENT TOOLS

Experience & Excellence

Monument has 80 years of excellence as manufacturers and distributors of equipment for the plumbing and drainage industries.

We are committed to a comprehensive policy of assuring the quality of the Company's products and services and to continue to improve the quality of those products and services.

Product Demonstrations



We have a fully equipped showroom and drain cleaning equipment demonstration unit. If you are interested in purchasing products and would like a demonstration, please contact the sales office to arrange a suitable time.

Exports

We currently export worldwide to countries including: USA, Australia, New Zealand, South Africa and the European Union. We do not issue an Export Price List, however, we are happy to provide a quotation on any products of interest from within our range.

Original Equipment Manufacture (OEM)

Monument currently produces OEM products for many customers. If your company is considering selling own branded products from within the catalogue, we can provide marking and packaging of product against quotations.



Monument Tools
Restmor Way
Hackbridge Road
Hackbridge
Wallington
Surrey SM6 7AH

t: +44 (0) 20 8288 1100
f: +44 (0) 20 8288 1108
e: info@monument-tools.com

MTL Tools is a trading name of Monument Tools Ltd. a company registered in England and Wales number 00281817. Registered office: Restmor Way, Hackbridge Road, Wallington, Surrey SM6 7AH

MONUMENT TOOLS

Monument Tools is an Innovative, UK based, ethical, privately owned company which designs, manufactures and markets professional quality tools for plumbing, roofing and drainage under the Monument brand and via OEM.

We sell to trade and DIY through selected wholesale, retail and export partners. Products range from small patented pipe cutters up to high pressure jetters. Many products used by professional tradesmen have developed generic names such as 'Shetack' or a 'Monument'.

The Monument brand is 100 years old and the company, which is still managed by the Collier family, continues to invest in the latest technology.

More than 60% of the products within the plumbing and roofing range are manufactured in the UK.



Tools for Plumbing

Soldering & Brazing

Copper & Steel Pipe Cutters

Plastic Pipe Cutters

Pipe Bending

Cleaning & Deburring

Steel & Cast Iron Pipe Tools

Freezing

Sawing & Hole Cutting

Radiators & Immersion Heaters

Joining Expanding & Compression

Faucets Taps Sinks & Stopcocks

Dosing

Testing Boilers Flues & Fires

Spanners Wrenches & Water Pump Pliers

Tools for Roofing

Plastic Dressers & Sticks

Bossing Mallets

Beech Dressers & Sticks

Hornbeam Dressers & Sticks

Seaming Pliers

Knives

Soldering Irons

Tools for Drainage

Waste Unblocking

Compressed Air

Gulley Scoops

Toilet Unblocking

Manhole Cover Lifting

Testing

Natural Bacterial Treatments

Cutting & Joining

Plugs & Stoppers

Spring Rods

Steel Rods

Poly Rods



MONUMENT TOOLS

www.monument-tools.com

Restmor Way Hackbridge Road Hackbridge Wallington Surrey SM6 7AH UK

t: +44 (0) 20 8288 1100 f: +44 (0) 20 8288 1108 e: info@monument-tools.com



5 015375 620062 >